Alexander Abian A uniform structure for topological spaces

Archivum Mathematicum, Vol. 14 (1978), No. 4, 181--182

Persistent URL: http://dml.cz/dmlcz/107007

Terms of use:

© Masaryk University, 1978

Institute of Mathematics of the Academy of Sciences of the Czech Republic provides access to digitized documents strictly for personal use. Each copy of any part of this document must contain these *Terms of use*.



This paper has been digitized, optimized for electronic delivery and stamped with digital signature within the project *DML-CZ: The Czech Digital Mathematics Library* http://project.dml.cz

ARCH. MATH. 4, SCRIPTA FAC. SCI. NAT. UJEP BRUNENSIS XIV: 181—182, 1978

A UNIFORM STRUCTURE FOR TOPOLOGICAL SPACES

ALEXANDER ABIAN

(Received February 2, 1977)

We introduce below a uniform structure for topological spaces in order to make it possible to state and prove the classical theorem concerning the fact that a continuous function on a compact space is uniformly continuous.

It is believed that the present notion of a uniform structure is less restrictive than the one introduced in [1] and which was further studied in [2], [3], [4].

Let X be a topological space and I an index set. Let $(\mathscr{A}_i)_{i \in I}$ be a family of open covers \mathscr{A}_i of X. We call an element of \mathscr{A}_i an *i-neighborhood*. Let S be a subset of X. We call $E_i(S)$ the *i-extended neighborhood* of S if and only if:

$$E_i(S) = U\{A \mid A \in \mathscr{A}_i \text{ and } A \cap S \neq \emptyset\}$$

i.e., $E_i(S)$ is the union of all the i-neighborhoods of every element of S. Based on the above notions, we introduce:

Definition. A family $(\mathcal{A}_i)_{i \in I}$ of open covers \mathcal{A}_i of a topological space X is called a uniform structure for X if and only if:

(1) For every open set V of X and every $x \in V$ there exists an i-neighborhood A_i such that $x \in A_i$ and $E_i(A_i) \subseteq V$ and

(2) For every $i \in I$ and $h \in I$ there exists a $k \in I$ such that \mathcal{A}_k refines both \mathcal{A}_i and \mathcal{A}_h . Next, we prove:

Theorem. Let f be a continuous mapping from a compact topological space X with a uniform structure $(\mathcal{A}_i)_{i \in I}$ into a topological space Y with a uniform structure $(\mathcal{B}_j)_{j \in J}$. Then for every $j \in J$ there exists a $k \in I$ such that every k-neighborhood is mapped by f into some j-neighborhood (i.e., f is uniformly continuous).

Proof. Let $j \in J$ be given. Since f is continuous, clearly, for every $x \in X$ there exists an open set V of X such that $x \in V$ and V is mapped by f into a j-neighborhood. But then, from (1) it follows that there exists an i(x)-neighborhood $A_{i(x)}$ such that

(3) $i(x) \in I$ and $x \in A_{i(x)}$ and $E_{i(x)}(A_{i(x)}) \subseteq V$.

Clearly, $(A_{i(x)})_{x \in X}$ is an open cover of X and since X is compact, X is covered by finetely many members, say, $A_{i(x_1)}$, $A_{i(x_2)}$, ..., $A_{i(x_n)}$ of the cover. But then by (2)

there exists a $k \in I$ such that \mathscr{A}_k refines $\mathscr{A}_{i(x_1)}, \mathscr{A}_{i(x_2)}, \ldots, \mathscr{A}_{i(x_n)}$. To complete the proof, we show that every k-neighborhood is mapped by f into some j-neighborhood. Indeed, let A_k be a k-neighborhood and $x \in A_k$. Clearly, x is covered by one of the abovementioned finitely many open sets, say, $A_{i(x_m)}$. Thus, $x \in A_{i(x_m)}$ and in view of the refinement mentioned above $A_k \subseteq E_{i(x_m)}(A_{i(x_m)})$. But then from (3) it follows that $E_{i(x_m)}(A_{i(x_m)}) \subseteq V$. Consequently, $E_{i(x_m)}(A_{i(x_m)})$ as well as A_k is mapped by f into a j-neighborhood, as desired.

Remark. We observe that condition (II) of [1] could be replaced by (2) above.

REFERENCES

[1] A. Abian, On uniform structures, Rend. Circ. Mat. Palermo, 14 (1965) 202-206.

[2] R. Fox and I. L. Reilly, Regular spaces and Abian structures, Rend. Circ. Mat. Palermo, 23 (1974) 267-270.

[3], Topological spaces and Abian structures (to appear).

[4] H. W. Pu, Concerning a certain uniform structure, Rend. Circ. Mat. Palermo, 21 (1972) 98-102.

Department of Mathematics Iowa State University Ames, Iowa 50011